

INSULATION AND AIR SEALING

(Air Sealing, Attic Insulation, Basement Wall Insulation, Exterior Wall Insulation and Rim Joist Insulation)

Enhanced income-based rebates

Households at 0%–250% of the federal poverty level (FPL) are eligible for the following rebates.

Households at 0%–200% may qualify for a free [WRAP assessment](#).

The FPL is calculated based on household size and income.

- Air Sealing: **up to \$165**
- Attic Insulation: **up to \$575**
- Basement Wall Insulation: **up to \$575**
- Exterior Wall Insulation: **up to \$575**
- Rim Joist Insulation: **up to \$575**

☐ Check this box if you qualify based on the following household income table.

People per household	Enhanced rebates	WRAP assessments
1	Up to \$39,900	Up to \$31,920
2	Up to \$54,100	Up to \$43,280
3	Up to \$68,300	Up to \$54,640
4	Up to \$82,500	Up to \$66,000
5	Up to \$96,700	Up to \$77,360
6 +	+ \$14,200/ person	+ \$11,360/ person

FPL guidelines are updated annually by the Department of Health and Human Services. These values reflect 2026 income levels and will be updated annually.

Bonus rebate

Receive a **\$350 bonus** by completing three or more qualifying projects.

INSULATION AND AIR SEALING: Air Sealing, Attic Insulation, Basement Wall Insulation, Exterior Wall Insulation, Rim Joist Insulation

EFFICIENT EQUIPMENT: Air-Source Heat Pump, Central A/C, Ground-Source Heat Pump, Heat Pump Water Heater, Mini-Split Heat Pump, Solar Water Heater

Offer valid for households at 0%–250% FPL. Complete projects within a rolling one-year period. At least one insulation or air sealing project is required.

Customer information

*Indicates required field

*PPL Electric Utilities Account # _____

*First Name

*Last Name

*Service Address

*City

*State

*ZIP Code

*Phone

*Email

Mailing Address (required if different from your service address)

City

State

ZIP Code

*What type of home do you live in?

A multifamily building has three or more individual residential-use units. Rowhomes/townhouses and duplexes with two units are not considered multifamily.

☐ Single Family ☐ Multifamily ☐ Other

UP TO \$500
REBATE PER CATEGORY

Product information

Product eligibility	• Home Heating/Cooling: Insulation and air sealing must take place in an existing permanent dwelling with living quarters. • Measures installed in new home construction, workshops, garages and outbuildings are not eligible. Homes must have primary electric heat or central A/C with non-electric heat. • If the account is a business, you may be required to provide business type, tax status and W-9.				
Contractor	*Company Name	*Installer Name	Email	Telephone #	
	Address		City	State	ZIP Code

Air sealing product information (blower door testing required)

Product eligibility	• Must be performed in accordance with BPI standards with pre- and post-blower door testing. • Must show at least 10% improvement and equate to a \$25 minimum rebate amount to qualify.				
Rebate	Measure	Rebate Amount	Electric Heat Rebate Max		
	Air Sealing	\$0.25 per Cubic Feet per Minute (CFM) Reduction	\$150 ⁺		

Air sealing	Measure	*Date Installed	Item Cost on Invoice	*Blower Door Test In (Pre CFM50)	*Blower Door Test Out (Post CFM50)
	Air Sealing				
	*Did home pass post-air sealing combustion safety zone testing? ☐ Yes ☐ No ☐ No Combustion Appliance				
*Is ductwork present in the home? ☐ Yes ☐ No					

Air sealing product information, continued

(blower door testing required)

Air sealing (continued)	*Infiltration Treatments and Locations of Air Sealing			
	☐ Caulk Windows _____	☐ Caulk Doors _____	☐ Weatherstripping _____	
	_____	_____	_____	
	☐ Spray Foam _____	☐ Air Barrier Realignment _____	☐ Other _____	
	_____	_____	_____	
	_____	_____	_____	
Air sealing (continued)	Building Sq. Ft.	Foundation Type:	Building Siding Type:	
	*Conditioned Volume of Home Cu. Ft.	☐ Crawlspace	☐ Unfinished	☐ Aluminum
		☐ Slab	☐ Unknown	☐ Vinyl
		☐ Finished	☐ Other	☐ Brick
		☐ Masonry	☐ Wood	
*Existing Heating System (check one)				
☐ Air-Source Heat Pump ☐ Electric Resistance ☐ Mini-Split Heat Pump ☐ Oil Furnace ☐ Electric Furnace ☐ Electric Space Heater (check room type) ☐ Ground-Source Heat ☐ Natural Gas Furnace ☐ Propane Furnace Pump ☐ No Heat ☐ Other				
*Existing Heating System Capacity (kBTU/hr)				
*Existing Cooling System (check one)				
☐ Air-Source Heat Pump ☐ Ground-Source Heat Pump ☐ No Cooling ☐ Central A/C ☐ Mini-Split Heat Pump (check room type)				
*Existing Cooling System Capacity (kBTU/hr)				
*Room Type (check one, if mini-split heat pump is selected)				
☐ Basement ☐ House Hallway ☐ Living/Family Room ☐ Storage Room ☐ Bathroom ☐ Kitchen/Dining Area ☐ Office/Study ☐ Sunroom/Seasonal Room ☐ Bedroom ☐ Laundry Room/Mudroom ☐ Recreation/Media Room				
Ductwork	*Duct Location	*Leakage Type	*Duct R-Value	
	☐ Attic	☐ Average (some or no observable leaks)	☐ Tight (connections sealed with mastic)	
	☐ Basement	☐ Leaky (significant/catastrophic leaks)	☐ R-0 ☐ R-4+ ☐ R-2 ☐ R-8+	
	☐ Vented Crawlspace			

[†]Must show at least 10% improvement and at least a 100 CFM reduction.

Attic insulation product information

Product eligibility

- The new insulation must achieve an R-value greater than the existing insulation R-value. Attic is the space directly beneath the roof of a structure.

Rebate

Measure	Rebate Amount	Electric Heat Rebate Max	Central A/C and Non-Electric Heat Rebate Max
Attic Area Insulation	75% of Cost†	\$500	\$200

Attic insulation

Attic Area 1 Insulation

*Are you removing the existing insulation? ☐ Yes ☐ No	*What is the existing R-value? R- _____	*Added R-Value R- _____
*Date Installed	*Area Insulated (sq. ft.)	*Cost of Service
*Previous Inches of Insulation _____ Inches	*New Insulation ☐ Batt ☐ Spray-On ☐ Other ☐ Blown-In ☐ Rigid Board	

Attic Area 2 Insulation

*Are you removing the existing insulation? ☐ Yes ☐ No	*What is the existing R-value? R- _____	*Added R-Value R- _____
*Date Installed	*Area Insulated (sq. ft.)	*Cost of Service
*Previous Inches of Insulation _____ Inches	*New Insulation ☐ Batt ☐ Spray-On ☐ Other ☐ Blown-In ☐ Rigid Board	

*Existing Heating System (check one)

- | | | |
|---|--|---|
| ☐ Air-Source Heat Pump | ☐ Electric Space Heater | ☐ Mini-Split Heat Pump |
| ☐ Electric Furnace | ☐ Ground-Source Heat Pump | ☐ No Heat |
| ☐ Electric Resistance | ☐ Non-Electric Heating | |

*Existing Cooling System (check one)

- | | | |
|---|--|--|
| ☐ Air-Source Heat Pump | ☐ Ground-Source Heat Pump | ☐ No Cooling |
| ☐ Central A/C | ☐ Mini-Split Heat Pump | ☐ Room/Window A/C |

Basement wall insulation product information

Product eligibility	Basement wall insulation: The new insulation's R-value must be at least a minimum of R-15 for continuous sheathing for interior or exterior of the home; or a minimum of R-19 cavity insulation.			
	Measure	Rebate Amount	Electric Heat Rebate Max	Central A/C and Non-Electric Heat Rebate Max
Rebate	Basement Wall Insulation	75% of Cost [†]	\$500	\$200

Basement insulation	Basement Wall 1 Insulation			
	*Are you removing the existing insulation? ☐ Yes ☐ No	*New Insulation ☐ Batt ☐ Spray-On ☐ Other ☐ Blown-In ☐ Rigid Board		Insulation Manufacturer
	*Date Installed	*Added R-Value R- _____	*Area Insulated (sq. ft.)	Cost of Service
	Basement Wall 2 Insulation			
	*Are you removing the existing insulation? ☐ Yes ☐ No	*New Insulation ☐ Batt ☐ Spray-On ☐ Other ☐ Blown-In ☐ Rigid Board		Insulation Manufacturer
	*Date Installed	*Added R-Value R- _____	*Area Insulated (sq. ft.)	Cost of Service

Basement wall insulation product information, continued

Basement insulation (continued)	Length of Foundation Wall Around Insulated Perimeter	Height of Insulated Foundation Wall Above Grade	Height of Insulated Foundation Wall Below Grade	Framing
	* _____ ft	* _____ ft	* _____ ft	☐ Externally Applied (continuous sheathing)
	☐ Stud Cavity			
	*Is the basement conditioned? ☐ Yes ☐ No			
*Existing Heating System (check one)				
☐ Air-Source Heat Pump ☐ Electric Space Heater ☐ No Heat ☐ Electric Furnace ☐ Ground-Source Heat Pump ☐ Non-Electric Heating ☐ Electric Resistance ☐ Mini-Split Heat Pump				
*Existing Cooling System (check one)				
☐ Air-Source Heat Pump ☐ Ground-Source Heat Pump ☐ No Cooling ☐ Central A/C ☐ Mini-Split Heat Pump ☐ Room/Window A/C				

*A labor invoice must be attached to qualify.

Exterior wall insulation product information

Product eligibility	Exterior Wall Insulation: The new insulation must achieve an R-value greater than the existing insulation R-value.			
	Measure	Rebate Amount	Electric Heat Rebate Max	Central A/C and Non-Electric Heat Rebate Max
Rebate	Exterior Wall Area Insulation	75% of Cost*	\$500	\$200

Exterior wall insulation	Exterior Wall Area 1 Insulation		
	*Are you removing the existing insulation? ☐ Yes ☐ No	*What is the existing R-value? R- _____	*Added R-Value R- _____
	*Date Installed	*Area Insulated (sq. ft.)	*Cost of Service
	*Previous Inches of Insulation _____ Inches	*New Insulation ☐ Batt ☐ Spray-On ☐ Other ☐ Blown-In ☐ Rigid Board	
	Exterior Wall Area 2 Insulation		
	*Are you removing the existing insulation? ☐ Yes ☐ No	*What is the existing R-value? R- _____	*Added R-Value R- _____
	*Date Installed	*Area Insulated (sq. ft.)	*Cost of Service
	*Previous Inches of Insulation _____ Inches	*New Insulation ☐ Batt ☐ Spray-On ☐ Other ☐ Blown-In ☐ Rigid Board	
	*Existing Heating System (check one) ☐ Air-Source Heat Pump ☐ Electric Space Heater ☐ Mini-Split Heat Pump ☐ Electric Furnace ☐ Ground-Source Heat Pump ☐ No Heat ☐ Electric Resistance ☐ Non-Electric Heating		
	*Existing Cooling System (check one) ☐ Air-Source Heat Pump ☐ Ground-Source Heat Pump ☐ No Cooling ☐ Central A/C ☐ Mini-Split Heat Pump ☐ Room/Window A/C		

Rim joist insulation product information

Product eligibility	Rim Joist Insulation: The new insulation must achieve an R-value greater than the existing insulation R-value. The insulation must be sprayed foam, rigid foam or a combination.			
	Measure	Rebate Amount	Electric Heat Rebate Max	Central A/C and Non-Electric Heat Rebate Max
Rebate	Rim Joist Insulation	75% of Cost*	\$500	\$200

Rim joist insulation	Rim Joist Area 1 Insulation			
	*Are you removing the existing insulation? ☐ Yes ☐ No	New Insulation ☐ Spray-On ☐ Rigid Board		*What is the existing R-value? R- _____
	*Date Installed	*Added R-Value R- _____	Area Insulated (sq. ft.)	Cost of Service
	Rim Joist Area 2 Insulation			
	*Are you removing the existing insulation? ☐ Yes ☐ No	New Insulation ☐ Spray-On ☐ Rigid Board		*What is the existing R-value? R- _____
	*Date Installed	*Added R-Value R- _____	Area Insulated (sq. ft.)	Cost of Service
	*Existing Heating System (check one)			
	☐ Air-Source Heat Pump ☐ Electric Resistance ☐ Ground-Source Heat Pump ☐ No Heat ☐ Electric Furnace ☐ Electric Space Heater ☐ Mini-Split Heat Pump ☐ Non-Electric Heating			
	*Existing Cooling System (check one)			
	☐ Air-Source Heat Pump ☐ Ground-Source Heat Pump ☐ No Cooling ☐ Central A/C ☐ Mini-Split Heat Pump ☐ Room/Window A/C			

How to apply

1. Purchase and install the qualifying product in a property with an active meter served by PPL Electric Utilities.
2. Mail the following to the address below:
 - a. Completed application.
 - b. Copy of a valid invoice. Invoice must include purchase date, product(s) purchased showing manufacturer and model number, quantity purchased and price paid. Circle the eligible purchase(s) on the invoice. Invoices missing any of this information will be rejected.

Mail to: PPL Electric Utilities Rebates
16350 Felton Road
Lansing, MI 48906

Submit online for a faster rebate
at pplelectric.com/MyRebate.

Program eligibility

- Promotion dates: **6/1/2026 to 5/31/2031**
- The complete rebate application must be submitted within **180 days of installation**. Missing information not provided within that period will affect eligibility.
- **IMPORTANT:** Photocopy or take a photo of your entire submission for your records. You could be required to mail or email these photocopies.

Terms and conditions

By signing below, you acknowledge and agree to the program terms and conditions found at pplelectric.com/terms.

Signature required

*Signature _____

*Date _____